
My diary




What is sickle cell disease?

> Sickle cell disease (SCD), or sickle cell anaemia, is a hereditary blood disorder caused by an abnormality in haemoglobin, the oxygen-carrying protein in red blood cells.¹



Proteins are the result of our genes, and we receive two copies of each gene, one from our father and one from our mother.

SCD is a genetic disease that you get if both copies of the haemoglobin gene are abnormal.




Since it is a hereditary disease, if you are planning to have children, you should seek genetic counselling.

Symptoms and complications of SCD

- The main symptoms and complications are due to the destruction of sickle cells and the occlusion that they cause in small blood vessels. This may manifest as a pain crisis (vaso-occlusive crisis), but chronic, painless organ damage also occurs
- > The severity and duration varies from one patient to another.4
- > Pain can be felt anywhere in the body and you may notice it in more than one place at a time.4
 - Arms and legs
 - Abdomen
 - Chest
 - Hands and feet (more typical in young children)
 - Lower back

When a crisis occurs, it is important to seek professional help when the pain requires it. It is also important to tell the medical team responsible for your follow-up about any pain you have had at home.



Tips and recommendations

MEDICAL CARE:

- > Make sure you receive regular medical care, not just when you are in pain.
- Seek medical care immediately if you have: fever, difficulty breathing or chest pain, neurological symptoms (severe headache, loss of feeling or movement in any part of your body), priapism (painful erection) lasting more than 4 hours, bloating and abdominal pain, severe weakness, pain that will not go away with treatment at home.
- > Follow the recommendations regarding vaccination

HEALTHY LIFESTYLE HABITS: 1,4,7,8



Eat well.



You can exercise regularly, but not strenuously. Always drink plenty of fluids.



Always drink plenty of water, especially in cases of fever, vomiting or diarrhoea.



Manage your physical tiredness and rest when necessary.



Limit the amount of alcohol you drink.



Use stress reduction techniques.



Wash your hands often and take other measures to prevent infections.

https://www.cdc.gov/ncbddd/Spanish/sicklecell/healthyliving-emer-guide.html

Treatment, check-ups and follow-up during symptom-free periods are important to prevent complications and reduce their severity, as well as to improve your quality of life.

Preventing and managing pain crises

Attending regular appointments with your medical team can help prevent complications and improve your quality of life.⁶

> Various situations can trigger vaso-occlusive crises, so it is best to avoid: 1,3,4,7,8





Exposure to cold water.



Strenuous physical exercise.



Smoking.



Dehydration.



High altitudes.



Emotional stress.



Infections.



States of hypoxia (oxygen depletion).



> To manage pain, try using a heating pad, taking a warm bath or having a massage. Physiotherapy can also provide relief. Do not apply cold.

> Follow your specialist's recommendations when you have a pain crisis and, if necessary, go to hospital so that you can be treated with stronger painkillers.⁴

Pain diary

Keeping a diary of your pain crises to share with your medical team will help ensure individualised care and minimise long-term complications.

Name and surname(s):
Date of birth:
Medical centre:
Doctor:
Phone number:
Date:/
My genotype is:
HbSS HbSG+ Other
My current treatment:

Where? Circle the affected areas



On what day did the pain start and end?

(dd/mm)



How intense was the pain? Circle the maximum intensity



Do you think any of the following events could be the trigger? Specify









Infection



Stress



9	Other
Q.	
Nothing	

What relieved the pain? Specify







Visit to emergency department



Applying heat



techniques

Anv	other	sym	toms?	Specify
		٠,	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Opcomy

Tiredness

1	Fever
	Nausea

Breathlessnes
Headache

	Di	Z	zin	es	S	
241-						

If you have experienced priapism, circle the maximum intensity and specify the duration:

1	2	3	5	6	7	8	9	10
	Mild		Mode	erate			Intense	

What could you not do during this time? Specify










School / study

Work

Sleep

Where? Circle the affected areas



On what day did the pain start and end?

(dd/mm)



How intense was the pain? Circle the maximum intensity



Do you think any of the following events could be the trigger? Specify





Temperature change



Infection



Altitude



Stress



9	Other
Nothing	

What relieved the pain? Specify









heat



medication

department

Any other symptoms? Specify

Tiredness
Dizziness

	Fever
	Nause

į	Breathlessnes

Nausea	Headache
--------	----------



Other symptoms.

If you have experienced priapism, circle the maximum intensity and specify the duration:

1	2	3	5	6	7	8	9
Mild			Mode	erate			Intens

Treatment:

What could you not do during this time? Specify










School / study

Where? Circle the affected areas



On what day did the pain start and end?

(dd/mm)



How intense was the pain? Circle the maximum intensity



Do you think any of the following events could be the trigger? Specify



Temperature change









Altitude

Nothing



Stress



	Otl	ner.	 		 		
Las Sal							

What relieved the pain? Specify



medication









Applying heat

techniques

Any other symptoms? Specify

Tiredness
Dizziness



Breathlessness

Nausea



Other symptoms.

If you have experienced priapism, circle the maximum intensity and specify the duration:

1	2	3	5	6	7	8	9	1
	Mild		Mode	erate			Intense	

What could you not do during this time? Specify



Treatment:








School / study

Sleep

Where? Circle the affected areas



On what day did the pain start and end?

(dd/mm)



How intense was the pain? Circle the maximum intensity



Do you think any of the following events could be the trigger? Specify





Temperature change



Infection



Altitude



Stress



9	Other
Nothing	

What relieved the pain? Specify









heat



medication

department

Any other symptoms? Specify

Tiredness
Dizziness

	Fever
	Nause

į	Breathlessnes

Nausea	Headache
--------	----------



Other symptoms.

If you have experienced priapism, circle the maximum intensity and specify the duration:

1	2	3	5	6	7	8	9
Mild			Mode	erate			Intens

Treatment:

What could you not do during this time? Specify










School / study

Where? Circle the affected areas



On what day did the pain start and end?

(dd/mm)



How intense was the pain? Circle the maximum intensity



Do you think any of the following events could be the trigger? Specify



Temperature change









Altitude

Nothing



Stress



	Otl	ner.	 		 		
Las Sal							

What relieved the pain? Specify



medication









Applying heat

techniques

Any other symptoms? Specify

Tiredness
Dizziness



Breathlessness

Nausea



Other symptoms.

If you have experienced priapism, circle the maximum intensity and specify the duration:

1	2	3	5	6	7	8	9	1
Mild			Mode	erate			Intense	

What could you not do during this time? Specify



Treatment:








School / study

Sleep

Where? Circle the affected areas



On what day did the pain start and end?

(dd/mm)



How intense was the pain? Circle the maximum intensity



Do you think any of the following events could be the trigger? Specify





Temperature change



Infection



Altitude



Stress



9	Other
Nothing	

What relieved the pain? Specify









heat



medication

department

Any other symptoms? Specify

Tiredness
Dizziness

	Fever
	Nause

į	Breathlessnes

Nausea	Headache
--------	----------



Other symptoms.

If you have experienced priapism, circle the maximum intensity and specify the duration:

1	2	3	5	6	7	8	9
Mild			Mode	erate			Intens

Treatment:

What could you not do during this time? Specify










School / study

Where? Circle the affected areas



On what day did the pain start and end?

(dd/mm)



How intense was the pain? Circle the maximum intensity



Do you think any of the following events could be the trigger? Specify



Temperature change





Infection



Altitude



Stress



Exercise

9	Other
Ö	
Vothing	

What relieved the pain? Specify









heat



techniques

Any other symptoms? Specify

Tiredness
Dizziness



	Breathlessnes
٠.	

Headache

Other symptoms.....

If you have experienced priapism, circle the maximum intensity and specify the duration:

1	2	3	5	6	7	8	9	1
	Mild		Mode	erate			Intense	

What could you not do during this time? Specify










School / study

Work

Sleep

Where? Circle the affected areas



On what day did the pain start and end?

(dd/mm)



How intense was the pain? Circle the maximum intensity



Do you think any of the following events could be the trigger? Specify











Altitude











1	1	5)	
	1	1	/	
	C	5		

Stress	Exe

)	t	h	16	9	r	 														

What relieved the pain? Specify







Visit to emergency department



Applying heat



techniques

Inv of	her syn	antom	c? Sr	ecify

Tiredness
Dizziness

	F	е	V	eı
96.57				

Breathlessnes

Т	Vi	au	S	e



Other symptoms.

If you have experienced priapism, circle the maximum intensity and specify the duration:

1	2	3	5	6	7	8
	Mild		Mode	erate		

Treatment:

What could you not do during this time? Specify



School / study



Work






Intense

31,15			
N	ж,	0	0

Where? Circle the affected areas



On what day did the pain start and end?

(dd/mm)



How intense was the pain? Circle the maximum intensity



Do you think any of the following events could be the trigger? Specify



Temperature change





Infection



Altitude



Stress



Exercise

9	Other
Ö	
Vothing	

What relieved the pain? Specify









heat



techniques

Any other symptoms? Specify

Tiredness
Dizziness



	Breathlessnes
٠.	

Headache

Other symptoms.....

If you have experienced priapism, circle the maximum intensity and specify the duration:

1	2	3	5	6	7	8	9	1
	Mild		Mode	erate			Intense	

What could you not do during this time? Specify










School / study

Work

Sleep

Where? Circle the affected areas



On what day did the pain start and end?

(dd/mm)



How intense was the pain? Circle the maximum intensity



Do you think any of the following events could be the trigger? Specify











Altitude











1	1	5)	
	1	1	/	
	C	5		

Stress	Exe

)	t	h	16	9	r	 														

What relieved the pain? Specify







Visit to emergency department



Applying heat



techniques

Inv of	her syn	antom	c? Sr	ecify

Tiredness
Dizziness

	F	е	V	eı
96.57				

Breathlessnes

Т	SI	au	S	e



Other symptoms.

If you have experienced priapism, circle the maximum intensity and specify the duration:

1	2	3	5	6	7	8
	Mild		Mode	erate		

Treatment:

What could you not do during this time? Specify



School / study



Work






Intense

31,15			
N	ж,	0	0

Where? Circle the affected areas



On what day did the pain start and end?

(dd/mm)



How intense was the pain? Circle the maximum intensity



Do you think any of the following events could be the trigger? Specify



Temperature change





Infection



Altitude



Stress



Exercise

9	Other
Ö	
Vothing	

What relieved the pain? Specify









heat



techniques

Any other symptoms? Specify

Tiredness
Dizziness



	Breathlessnes
٠.	

Headache

Other symptoms.....

If you have experienced priapism, circle the maximum intensity and specify the duration:

1	2	3		5	6	7	8	9	1
	Mild		Moderate					Intense	

What could you not do during this time? Specify










School / study

Work

Sleep

Where? Circle the affected areas



On what day did the pain start and end?

(dd/mm)



How intense was the pain? Circle the maximum intensity



Do you think any of the following events could be the trigger? Specify











Altitude











1	1	5)	
	1	1	/	
	C	5		

Stress	Exe

)	t	h	16	9	r	 														

What relieved the pain? Specify







Visit to emergency department



Applying heat



techniques

Inv of	her syn	antom	c? Sr	ecify

Tiredness
Dizziness

	F	е	V	eı
96.57				

Breathlessnes

Т	SI	au	S	e



Other symptoms.

If you have experienced priapism, circle the maximum intensity and specify the duration:

1	2	3	5	6	7	8
	Mild		Mode	erate		

Treatment:

What could you not do during this time? Specify



School / study



Work






Intense

31,15			
N	ж,	0	0

Where? Circle the affected areas



On what day did the pain start and end?

(dd/mm)



How intense was the pain? Circle the maximum intensity



Do you think any of the following events could be the trigger? Specify



Temperature change





Infection



Altitude



Stress



Exercise

9	Other
Ö	
Vothing	

What relieved the pain? Specify









heat



techniques

Any other symptoms? Specify

Tiredness
Dizziness



	Breathlessnes
٠.	

Headache

Other symptoms.....

If you have experienced priapism, circle the maximum intensity and specify the duration:

1	2	3	5	6	7	8	9	1
	Mild		Mode	erate			Intense	

What could you not do during this time? Specify










School / study

Work

Sleep

Where? Circle the affected areas



On what day did the pain start and end?

(dd/mm)



How intense was the pain? Circle the maximum intensity



Do you think any of the following events could be the trigger? Specify











Altitude











1	1	5)	
	1	1	/	
	C	5		

Stress	Exe

)	t	h	16	9	r	 														

What relieved the pain? Specify







Visit to emergency department



Applying heat



techniques

nv ot	her svi	motor	ns? Sn	ecify

Tiredness
Dizziness

ш	rever
	Manage

Breathlessnes
Headache

- I	lea	dac
V610 200		

Other symptoms.

If you have experienced priapism, circle the maximum intensity and specify the duration:

1	2	3	5	6	7	8	9
	Mild		Mode	erate			Intense

Treatment:

What could you not do during this time? Specify










School / study

Work

Where? Circle the affected areas



On what day did the pain start and end?

(dd/mm)



How intense was the pain? Circle the maximum intensity



Do you think any of the following events could be the trigger? Specify



Temperature change





Infection



Altitude



Stress



Exercise

9	Other
Ö	
Vothing	

What relieved the pain? Specify









heat



techniques

Any other symptoms? Specify

Tiredness
Dizziness



	Breathlessnes
٠.	

Headache

Other symptoms.....

If you have experienced priapism, circle the maximum intensity and specify the duration:

1	2	3	5	6	7	8	9	1
	Mild		Mode	erate			Intense	

What could you not do during this time? Specify










School / study

Work

Sleep

Where? Circle the affected areas



On what day did the pain start and end?

(dd/mm)



How intense was the pain? Circle the maximum intensity



Do you think any of the following events could be the trigger? Specify











Altitude











1	1	5)	
	1	1	/	
	C	5		

Stress	Exe

)	t	h	16	9	r	 														

What relieved the pain? Specify







Visit to emergency department



Applying heat



techniques

nv ot	her sv	mpto	oms?	Specify

Tiredness
Dizziness

1 0001
Nausaa

Breathlessnes

Nausea		Headache
--------	--	----------

Other symptoms.

If you have experienced priapism, circle the maximum intensity and specify the duration:

1	2	3	4	5	6	7	8
	Mild			Mode	erate		

Treatment:

What could you not do during this time? Specify










Intense

School / study

Where? Circle the affected areas



On what day did the pain start and end?

(dd/mm)



How intense was the pain? Circle the maximum intensity



Do you think any of the following events could be the trigger? Specify



Temperature change





Infection



Altitude



Stress



Exercise

9	Other
Ö	
Vothing	

What relieved the pain? Specify









heat



techniques

Any other symptoms? Specify

Tiredness
Dizziness

Other symptoms...



	Breathlessnes
٠.	

Nausea

Headache

If you have experienced priapism, circle the maximum intensity and specify the duration:

1	2	3	B 4 5	6	7	8	9	10				
	Mild			Mode	erate		Intense					

What could you not do during this time? Specify










School / study

Treatment:

Sleep

Where? Circle the affected areas



On what day did the pain start and end?

(dd/mm)



How intense was the pain? Circle the maximum intensity



Do you think any of the following events could be the trigger? Specify











Altitude











1	1	5)	
	1	1	/	
	C	5		

Stress	Exe

)	t	h	16	9	r	 														

What relieved the pain? Specify







Visit to emergency department



Applying heat



techniques

nv ot	her sv	mpto	oms?	Specify

Tiredness
Dizziness

1 0001
Nausaa

Breathlessnes

Nausea		Headache
--------	--	----------

Other symptoms.

If you have experienced priapism, circle the maximum intensity and specify the duration:

1	2	3	4	5	6	7	8
	Mild			Mode	erate		

Treatment:

What could you not do during this time? Specify










Intense

School / study

Where? Circle the affected areas



On what day did the pain start and end?

(dd/mm)



How intense was the pain? Circle the maximum intensity



Do you think any of the following events could be the trigger? Specify



Temperature change





Infection



Altitude



Stress



Exercise

9	Other
Ö	
Vothing	

What relieved the pain? Specify



Other







heat



techniques

Any other symptoms? Specify

- **Tiredness Dizziness**

Breathlessness

Nausea

Headache

Other symptoms.

If you have experienced priapism, circle the maximum intensity and specify the duration:

1	2	3		5	6	7	8	9	1
	Mild		Moderate			Intense			

What could you not do during this time? Specify



Treatment:








School / study

Work

Sleep

Where? Circle the affected areas



On what day did the pain start and end?

(dd/mm)



How intense was the pain? Circle the maximum intensity



Do you think any of the following events could be the trigger?





Temperature change



Infection



Altitude



Stress





What relieved the pain? Specify



medication







Applying heat



techniques

An	y other s	ymptoms	? Specify
----	-----------	---------	-----------

- **Tiredness Dizziness**
- Fever

- Breathlessness
- Nausea Headache

Other symptoms.

If you have experienced priapism, circle the maximum intensity and specify the duration:

1	2	3	5	6	7	8	9	
Mild			Mode	erate			Intense	

Treatment:

What could you not do during this time? Specify









School / study

Work

Sleep

Emergency information

Patient with SCD

Some useful information about SCD can be found via the following links:

AEAL, Spanish Association for Lymphoma, Myeloma and Leukaemia Patients

www.aeal.es

Spanish Association of Paediatrics

https://enfamilia.aeped.es/temas-salud/anemia-celulas-falciformes

Spanish Erythropathology Group

https://eritropatologia.com/

MedlinePlus

https://medlineplus.gov/spanish/sicklecelldisease.html

Spanish Society of Paediatric Haematology and Oncology

www.sehop.org

Sickle Cell Disease (SCD)

www.anemiafalciforme.es



We know that some crises require emergency care. Here is some information you can share with your doctor.

Scan the QR code or access the URL Material for healthcare professionals



profesionalessanitarios.novartis.es/ ecf-recursos-medico

()

References:

- 1. Spanish Society of Paediatric Haematology and Oncology. Sickle Cell Disease Clinical Practice Guidelines. SEHOP 2019. Available at: http://www.sehop.org/wp-content/uploads/2019/03/Gu%C3%ADa-SEHOP-Falciforme-2019.pdf. Last accessed: April 2020.
- 2. U.S. National Library of Medicine. MedlinePlus. Sickle cell disease [Internet]. 2020. Available at: https://medlineplus.gov/spanish/sicklecelldisease.html. Last accessed: June 2020.
- 3. Centers for Disease Control and Prevention (CDC). Sickle cell anaemia [Internet]. 2017. Available at: https://www.cdc.gov/ncbddd/spanish/sicklecell/symptoms.html. Last accessed: June 2020.
- Webmd. What Is a Sickle Cell Crisis? [Internet]. 2019. Available at: https://www.webmd.com/a-to-z-guides/sickle-cell-crisis#1. Last accessed: June 2020.
 Centers for Disease Control and Prevention (CDC). National Center on Birth Defects and Developmental Disabilities. Division of Blood Disorders. Sickle cell disease Tips for healthy living.
- Centers for Disease Control and Prevention (CDC). National Center on Birth Defects and Developmental Disabilities, Division of Blood Disorders. Sickle cell disease Tips for healthy living [Internet]. Available at: https://www.cdc.gov/ncbddd/spanish/sicklecell/documents/A_tipsheets_5_spanish.pdf. Last accessed: June 2020.
- 6. National Institutes of Health. National Heart, Lung, and Blood Institute. Sickle cell anaemia [Internet]. Available at: https://www.nhlbi.nih.gov/health-topics/espanol/anemia-de-celulas-falciformes. Last accessed: June 2020.
- 7. Jenerette CM, et al. Self-care recommendations of middle-aged and older adults with sickle cell disease. Nurs Res Pract 2011;270594.
- 8. Food and Drug Administration. The Voice of the Patient. FDA report Sickle Cell Disease. 2014. Available at: https://www.fda.gov/media/89898/download. Last accessed: June 2020.

